

## Schena, Cristeen

---

**From:** Kopf, Jeff  
**Sent:** Wednesday, October 22, 2014 7:42 AM  
**To:** Schena, Cristeen; Handler, Neil  
**Cc:** McGuire, Karen  
**Subject:** FW: FOIA - PJ Keating

Hi Cris,

So, contrary to what I asked Kevin Cassidy to do—he simply sent me this FOIA request by email and did not use the FOIA on-line request form for Region 1.

How do you want to proceed?

Jeff Kopf, Senior Enforcement Counsel  
US EPA Region 1  
5 Post Office Square  
Suite 100 (OES04-4)  
Boston, MA 02109-3912  
Tel: (617) 918-1796  
Fax: (617) 918-0796  
[kopf.jeff@epa.gov](mailto:kopf.jeff@epa.gov)

**From:** Kevin Cassidy [mailto:cassidy@lclark.edu]  
**Sent:** Tuesday, October 21, 2014 5:50 PM  
**To:** Kopf, Jeff  
**Subject:** FOIA - PJ Keating

Jeff -

Please consider this a request pursuant to FOIA for the following public records:


1. All DMRs from Oct. 1, 2009 to the present for the PJ Keating facility ("the facility") at 72 South Maint St., Acushnet, MA.
2. Any NPDES permit applicable to the facility from Oct. 1, 2009 to the present, including the facility's current permit, and any permit applications associated with any responsive permits.
3. Any documents related to Clean Water Act enforcement against the facility by EPA or the Commonwealth of Massachusetts occurring from Oct. 1, 2009 to the present.

Our preference would be to receive electronic copies of the above reference records if possible.


Please feel free to contact me if you have any questions regarding this request, or if you need further information or clarification. Thank you.

Best regards,  
Kevin

--



Kevin Cassidy, Staff Attorney / Earthrise Law Center / Lewis & Clark Law School



<http://earthriselaw.org> | [cassidy@lclark.edu](mailto:cassidy@lclark.edu) | Phone: 781-659-1696

This communication and any attachments may be attorney-client privileged and confidential and are intended only for the use of the individual or entity named above. If you have received this communication in error, please immediately destroy it and notify the sender.